



# KOKOMO STEEL & WIRE CO.



H.C. B. Indiana  
MANUFACTURERS  
OF

THE KOKOMO ORNAMENTAL FENCE. INDIANA.

KOKOMO,




TWENTIETH ILLUSTRATED CATALOGUE OF  
ORNAMENTAL FENCE

Manufactured by  
Kokomo Steel & Wire Co.  
Kokomo, Indiana, U. S. A.



## INTRODUCTORY



RESIDENCE OF G. BULLE, HAVANA, CUBA

We are presenting you our illustrated Catalogue of Ornamental Fencing, with the illustrations and information arranged in such a manner that you can easily arrive at the height, weight, etc., of our fencing.

If you have ever purchased Kokomo Ornamental Fencing, it will be useless for us to make any statement other than to say we are maintaining our high standard of quality and excellency. If you are contemplating the purchase of an ornamental fence, don't make the fatal mistake of purchasing some other make, when you can get a Kokomo Ornamental Fence at a price so low, you will be surprised when you consider the value you receive.

KOKOMO STEEL & WIRE CO., Kokomo, Ind., U. S. A.



# Kokomo Ornamental Fence

## Kinds of Fence

We manufacture two kinds of complete ornamental fencing i. e., our Standard and Junior Fencing, our Junior Fence being the equal of any ornamental fencing made today, while our Standard Fence is superior to any other make of ornamental fencing on account of its being made of heavier material. In both of these fences we furnish our regular make of posts with cast iron bases, the only difference being in the size of the tubing used in the line posts and line railing. Either our Standard or Junior styles of complete fencing can be made with the spear point or ball ornaments with the braided wire, or with the malleable iron cresting. Below we give you the size of material used.

### Specifications Standard Fence

Corner Posts	$1\frac{3}{4}$	Inch Steel Tubing
End Posts	$1\frac{3}{4}$	" " "
Gate Posts	$1\frac{3}{4}$	" " "
Line Posts	$1\frac{3}{4}$	" " "
Line Railing	$1\frac{3}{8}$	" " "

### Specifications Junior Fence

Corner Posts	$1\frac{3}{4}$	Inch Steel Tubing
End Posts	$1\frac{3}{4}$	" " "
Gate Posts	$1\frac{3}{4}$	" " "
Line Posts	$1\frac{3}{8}$	" " "
Line Railing	$1\frac{1}{8}$	" " "

We can furnish  $2\frac{1}{2}$  inch Corner End and Gate Posts for our Standard Fence only, at an additional charge of \$1.50 each extra.

Either our Standard or Junior Fences can be fitted with Style A, B, C, E, F, G and H Fabric. This gives you a selection of 44 different styles of complete fencing, and 7 different styles of fabric for erection on wood posts.

## **MATERIAL**


The material used in the construction of our ornamental Fencing is the best that men and machinery can make and that money can buy, every particle of the material being subjected to the most critical and painstaking inspection to see that it is worthy of being used in our Kokomo Ornamental Fencing, on which we have built up a reputation that has enabled us to become the largest manufacturers of Ornamental Fencing in the United States.

## **WORKMANSHIP**

It is just as difficult to fit an Ornamental Fence to a certain piece of ground as it is to fit a suit of clothes to a man's body. Hence it is necessary to employ mechanics who are skilled in this particular line of work, and we desire to say to you that the different parts of our fencing fit and join together as perfectly as though they were oiled, because our workmanship is unexcelled.

## **CONSTRUCTION**

In the construction of our Ornamental Fencing we first considered the post and the necessity of securing lasting qualities. Also that the posts must be held in perfect alignment. This result we secured by our manner of attaching the line railing to the corner end and gate posts, as well as line posts, and also the grade and quality of our connections, which also serve as ornaments.



## POSTS

It is the post that gives life to your fence, and realizing after years of experimenting that cast iron was the only metal you could place in the ground that would resist rust and the action of the elements at the surface of the ground we began the manufacture of the post shown at the left of this page.

The upper portion of this post is made of steel tubing and upon the end of this steel tubing is wrought our heavy cast iron base, which extends up and around the tubing in such a manner that a solid ring of cast metal is interposed between the ground and steel tubing which makes it impossible for the tubing to come in contact with the ground and as the joint where the cast iron base and tubing come together is absolutely water-proof we can guarantee our posts for a life time.

Notice the ring of cast metal at the base of the post. That is the secret of their durability

Posts are spaced seven feet apart.

## FABRICS

We manufacture seven different designs of fabrics so that you have a selection from which the most exacting person can make a satisfactory choice. Our fabrics are all made of double galvanized wire that we know is good, because we make it ourselves. Our pickets all run the full width of the fence and every design or style is fitted with our patent interlocked top which makes it impossible to bend the top of the fabric out of alignment and also owing to the peculiar manner in which the pickets are interwoven the fabric will not sag between the posts.

## SPECIFICATIONS OF FABRICS

Styles A, B, E and F.

Pickets 2 No. 11 Wires Twisted.

Cables 2 No. 12 Wires Twisted.

Style G.

Pickets 1 No. 9 Wire Single.

Cables 2 No. 12 Wires Twisted.

Styles C and H.

Pickets 2 No. 13 Wires Twisted.

Cables 2 No. 12½ Wires Twisted



## LINE RAILING

Our line railing as well as tubing in the posts are all made of the best Seamless Steel Tubing manufactured, and when put into our Kokomo Ornamental Fencing it is coupled up in full lengths and securely attached to the corner end and gate posts, passing through the ornaments of the line posts, so that the line railing and posts together form a perfect frame, to which our fabrics are attached.

## ORNAMENTS AND CONNECTIONS

**Spear Point Ornaments** are made from malleable iron, and on account of their design make the fence very neat and artistic.

**Ball Ornaments** are made from heavy grey iron, and while giving the fence a solid and massive appearance, it still retains the proper proportion.

**Ornamental Cresting** is made from tough malleable iron, and serves as a protection to the fence, as well as an ornament. There is no danger of it being broken when made from this grade of material.

**Fittings** are all malleable iron, which insures them against breakage.

## FINISH

Our Posts and Line Railings are finished in black, while the Post Ornaments and Railing Sleeves can be finished in black, or silver bronze, and in the event you fail to specify we will make the ornaments silver bronze. Malleable cresting is finished in black.

## TUBULAR STEEL FENCES FOR LAWNS, BOULEVARDS AND CEMETERIES

Are made with our standard specifications of posts and tubing and the same care is observed in its construction as in our other fences. They are fully described as Style "D" and "J" on pages 32 and 33 of this Catalogue.

## When Ordering or Writing



RESIDENCE OF C. G. RAUB, MERIDIAN, CAL.

In ordering Kokomo Ornamental Fence, or when writing for prices, be sure and send us a diagram of the ground you wish to enclose, showing the exact number of feet you desire, also the exact location and size of the gates and if gates wanted are single or double. The proper way is to give the measurement from the corner post or end post as the case may be, to the center of the gate, then state the width of the opening in which you desire the gate to swing, then give measurement from the center of the gate to the next corner or end post as the case may be, and so on until the exact measurements of all the different parts of the fence are given. Always specify the style and height of the fabric, also if you desire Standard or Junior Fence. In writing please state whether you want the spear or ball ornaments, or the malleable cresting, and advise the page on which we illustrate the fence you like best. We are always glad to furnish you estimates on as many different heights and styles as you desire.

### NAME AND ADDRESS

Be sure and sign your name and give your post-office address on every letter, so there will be no delay in answering same.

### **ERECTION OF KOKOMO ORNAMENTAL FENCING**

It does not require a mechanic to erect our fence; in fact the main thing is to set the posts in a perfect line, then with the complete instructions we give and the manner in which we mark the different parts before making shipment any one can erect the fence without any difficulty whatever.

### **GUARANTEE**

A guarantee of quality and excellency backed up by a responsible manufacturer is probably the most effective manner of securing the confidence of the people, and we make this statement in regard to our goods, knowing that we are in position to back it up. "We guarantee every foot of our fencing to be satisfactory" a strong statement, but we can deliver the goods.

### **OUR RESPONSIBILITY**

We are pleased to refer you to the Citizens National Bank, Howard National Bank, Farmers Trust & Savings Bank, Wells Fargo, National, American and Adams Express Companies, or Postmaster, all of Kokomo, Indiana, or Dun and Bradstreet's Commercial Agencies. In writing to any of our references be sure to enclose stamps for reply.


### **TERMS**

Our terms are cash or 30 per cent, with order, with goods shipped to ourselves, with sight draft and bill of lading sent to your nearest bank for the balance, unless satisfactory arrangements can be made for credit.

### **REMITTANCES**

Make all remittances to Kokomo Steel & Wire Co., by New York, Chicago or Cincinnati Draft, Express or Postal Money Orders or Registered letter. Do not send individual checks, unless 25 cents is added for Exchange





A Typical Southern Home, inclosed with our complete fence, fitted with Style A, 24-in. Fabric.  
See pages 24 and 25 for price.

PAT'D. MAR. 28, 1899.



ILLUSTRATING OUR STYLE "A" 24 IN. FABRIC FENCE COMPLETE.  
ON STONE WALL

Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.8	\$.58
37½ "	A 30 "	8.3	.62
43½ "	A 36 "	8.7	.66
47½ "	A 40 "	8.9	.70

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.	\$.54
37½ "	A 30 "	7.4	.58
43½ "	A 36 "	7.8	.62
47½ "	A 40 "	8.2	.66


Any of our fences can be made to be erected on a stone wall, and we allow deduction of 8c. per foot from above list prices when fence is to be erected in this manner, and posts furnished without iron bases.





Illustrating our Ornamental Fence complete, Style A, 30-in. Fabric with Ornamental Gate, inclosing cemetery lot.  
(See pages 24 and 25 for price.)






ILLUSTRATING OUR STYLE "A" 36<sup>in</sup> FABRIC AND ORNAMENTAL GATE  
MOUNTED ON WOODEN POSTS, WITHOUT TOP RAIL

All of our different styles and heights of fabrics can be erected in this way. See pages 40, 41 and 42 for descriptions and prices of our fabrics. Walk gates on page 47.





Standard Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	7.3	\$.54
37½ "	B 30 "	7.8	.58
43½ "	B 36 "	8.1	.62
47½ "	B 40 "	8.4	.66

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	6.5	\$.50
37½ "	B 30 "	6.9	.54
43½ "	B 36 "	7.3	.58
47½ "	B 40 "	7.5	.62

For Malleable Iron Cresting add 10c. per foot to above prices. See page 3 for size of posts and rails—Description of fabric on page 40





ILLUSTRATING OUR STYLE "B" 30 inch FABRIC COMPLETE  
FENCE WITH BALL ORNAMENTS

Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	7.3	\$.54
37½ "	B 30 "	7.8	.58
43½ "	B 36 "	8.1	.62
47½ "	B 40 "	8.4	.66

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	B 24 in.	6.5	\$.50
37½ "	B 30 "	6.9	.54
43½ "	B 36 "	7.3	.58
47½ "	B 40 "	7.5	.62

See page 3 for size of posts and rails.—Description of fabric on page 40.






Illustrating Our Complete Fence with Malleable Iron Cresting—Fence Fitted with Style B 30-in. Fabric.  
(See page 15 for prices)



Illustrating our complete fence, with Spear-Ornaments, Fence fitted with Style C, 36-in. Fabric.  
(See page 19 for prices.)





Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	C 24 in.	7.	\$.52
37½ "	C 30 "	7.5	.56
43½ "	C 36 "	7.9	.60
47½ "	C 40 "	8.2	.64

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	C 24 in.	6.3	\$.48
37½ "	C 30 "	6.7	.52
43½ "	C 36 "	7.	.56
47½ "	C 40 "	7.2	.60

See page 3 for size of posts and rails.---Description of fabric on page 40.





ILLUSTRATING OUR STYLE "C"36 inch FABRIC COMPLETE  
FENCE WITH MALLEABLE CRESTING

Standard Fence Complete


Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	C 24 in.	7.	\$.62
39½ "	C 30 "	7.5	.66
45½ "	C 36 "	7.9	.70
49½ "	C 40 "	8.2	.74

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	C 24 in.	6.3	\$.58
39½ "	C 30 "	6.7	.62
45½ "	C 36 "	7.	.66
49½ "	C 40 "	7.2	.70

See page 3 for size of posts and rails—Description of fabric on page 40.





ILLUSTRATING OUR STYLE "E 48 IN" FABRIC FENCE COMPLETE

PATD. MARCH 28. 1899

Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
49½ in.	E 42 in.	9.7	\$.74
55½ "	E 48 "	10.1	.78

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
49½ in.	E 42 in.	8.8	\$.70
55½ in.	E 48 in.	9.2	.74


See page 3 for size of posts and rails—Description of fabric on page 41.





Illustrating our complete Fence with Ball Ornaments—Fence fitted with Style E 48-in. Fabric.  
(See Page 21 for prices.)





Standard Fence Complete


Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
51½ in.	E 42 in.	9.7	\$.84
57½ "	E 48 "	10.1	.88

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
51½ in.	E 42 in.	8.8	\$.80
57½ "	E 48 "	9.2	.84

See page 3 for size of posts and rails.—Description of Fabric on page 41.





Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.8	\$ .58
37½ "	A 30 "	8.3	.62
43½ "	A 36 "	8.7	.66
47½ "	A 40 "	8.9	.70

NOTE—If desired, this, as well as all Standard fences, will be furnished at \$1.50 e

See page 3 for size of posts and rail



# TOP BRAIDED WIRE 31 ins.



## TAL GATE, STEEL POSTS AND RAILING COMPLETE

PAT'D  
MAR.  
28.  
1899


urnished with special end, gate and corner posts 2½ inches in diameter  
0 each extra.

ails—Description of fabric on page 40


Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	A 24 in.	7.	\$ .54
37½ "	A 30 "	7.4	.58
43½ "	A 36 "	7.8	.62
47½ "	A 40 "	8.2	.66





Residence of E. J. Willard, Cornwall, W. Va., inclosed with our complete fence, fitted with Style G, 30-in. Fabric.  
(See page 27 for price.)



ILLUSTRATING OUR STYLE "G" 30inch FABRIC COMPLETE  
FENCE WITH BALL ORNAMENTS

Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	G 24 in.	7.1	\$.52
37½ "	G 30 "	7.5	.56
43½ "	G 36 "	8.	.60
49½ "	G 42 "	8.4	.64
55½ "	G 48 "	8.7	.68

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	G 24 in.	6.3	\$.48
37½ "	G 30 "	6.7	.52
43½ "	G 36 "	7.1	.56
49½ "	G 42 "	7.5	.60
55½ "	G 48 "	7.8	.64

See page 3 for size of posts and rails—Description of fabric on page 41.





ILLUSTRATING OUR STYLE "G" 30 inch FABRIC COMPLETE  
FENCE WITH MALLEABLE CRESTING

Standard Fence Complete


Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	G 24 in.	7.1	\$.62
39½ "	G 30 "	7.5	.66
45½ "	G 36 "	8.	.70
51½ "	G 42 "	8.4	.74
57½ "	G 48 "	8.7	.78

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	G 24 in.	6.3	\$.58
39½ "	G 30 "	6.7	.62
45½ "	G 36 "	7.1	.66
51½ "	G 42 "	7.5	.70
57½ "	G 48 "	7.8	.74


See page 3 for size of posts and rails—Description of fabric on page 41.





Illustrating our complete Fence, fitted with Style H 36-in. Fabric.  
(See page 30 for prices.)





Standard Fence Complete


Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	H 24 in.	6.7	\$.48
37½ "	H 30 "	7.	.52
43½ "	H 36 "	7.5	.56
47½ "	H 40 "	7.8	.60

Junior Fence Complete

Height to Top of Braided Wire	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
31½ in.	H 24 in.	5.9	\$.44
37½ "	H 30 "	6.2	.48
43½ "	H 36 "	6.6	.52
47½ "	H 40 "	6.8	.56

See page 3 for size of posts and rails—Description of fabric on page 42.





Standard Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	H 24 in.	6.7	\$.58
39½ "	H 30 "	7.	.62
45½ "	H 36 "	7.5	.66
49½ "	H 40 "	7.8	.70

Junior Fence Complete

Height to Top of Cresting	Style of Fabric	Weight Per Foot Pounds	List Price Per Foot
33½ in.	H 24 in.	5.9	\$.54
39½ "	H 30 "	6.2	.58
45½ "	H 36 "	6.6	.62
49½ "	H 40 "	6.8	.66

See page 3 for size of posts and rails—Description of fabric on page 42






Illustrating our Style D, tubular steel fence for lawns, boulevards, cemeteries, etc., made with 1, 2 or 3 rails as desired, height ranging from 24 to 48 inches.

Price, Style D, 30-in. high, 1 rail, Standard fence with ornaments complete, 56 cents per foot.	Weight per foot 5.8 lbs.
Price, Style D, 36-in. high, 2 rail, Standard fence with ornaments complete, 66 cents per foot.	Weight per foot 8.8 lbs.
Price, Style D, 48-in. high, 3 rail, Standard fence with ornaments complete, 76 cents per foot.	Weight per foot 10.5 lbs.

Size of posts and rails same as standard fence. (See Page 3).



**STYLE J—CEMETERY AND LAWN FENCE.** Answers in every respect to the description of our Boulevard fences, except in finish and ornamentation; the railing and posts are furnished in black, chain and ornaments in silver bronze.


Price 1 rail and chain, with silver bronzed ornaments, \$.72 per foot.	Weight per foot. 7. lbs.
Price 2 rail and chain, with silver bronzed ornaments, \$.82 per foot.	Weight per foot, 9.2 lbs.
Price 3 rail and chain, with silver bronzed ornaments, \$.90 per foot.	Weight per foot, 12.3 lbs.

Aluminum name plate \$4.00 extra.

Size of posts and rails same as Standard fence. (See page 3)



## OUR "CHAMPION" LAWN FENCE




Our "Champion" Complete Lawn Fence, is made from  $1\frac{3}{4}$  inch outside diameter double strength steel tubing for corner, end and gate posts; line posts are  $1\frac{3}{8}$  inch outside diameter, and line rail  $1\frac{1}{8}$  inch outside diameter. Each post is fitted with our special rust resisting base, as shown on page 5 of our catalogue. Line posts will be spaced 7 feet apart or as near that as the sections will evenly divide.

The fabric is made from No. 9 galvanized wire for the bow top pickets, No.  $11\frac{1}{2}$  galvanized wire for the intermediate twisted pickets, and No.  $12\frac{1}{2}$  galvanized wire for the line wires or cables. The fabric is woven so that it cannot be bent out of position at the top, also with a very close spacing at the bottom, making it absolutely poultry proof.


All fittings are made from heavy malleable iron; they won't break.

Height to Top of Rail	Height of Fabric	Weight per Foot	Price per Foot
27 inches	24 inches	$6\frac{1}{2}$ lbs.	36c
33 "	30 "	7 "	42c
39 "	36 "	$7\frac{1}{2}$ "	48c
45 "	42 "	8 "	52c
51 "	48 "	$8\frac{1}{2}$ "	58c



Width	Weight Per Gate Pounds	Price Plain Gates	Price Ornamental Gates
8 ft.	77.	\$ 9.00	\$ 9.90
10 "	88.	9.90	10.80
12 "	98.5	11.30	12.20
14 "	111.	12.20	13.10






Weight complete about 700 lbs.

STANDARD ORNAMENTAL ARCH FOR PARK AND CEMETERY FENCE

See description and price on page 42







OUR KOKOMO ARCH FOR WALKS, GATES, DRIVEWAYS, ETC. There being a demand for a less elaborate and cheaper arch than our Standard Cemetery and Park Arch, we designed the Kokomo, that this demand might be supplied with a good strong and handsome arch at a reasonable price.

Weight complete about 500 lbs.

See description and price on page 42.



# KOKOMO "PIONEER LIFT GATE"




In offering our Pioneer Lift Gate to our customers we do so knowing it has been manufactured following the ideas of practical farmers. Men who have used gates for years, who know by actual experience where the greatest strain comes on a gate, and what it should do in the way of operation to make it a help in their work, instead of a backbreaker. The above information combined with our knowledge of the proper kinds of material to use, has enabled us to produce our Pioneer Lift Gate, that will work as it should, Summer or Winter, and stand the test of time.

For the frame, we use double strength steel tubing  $1\frac{5}{8}$ " outside diameter. The center brace is made from two pieces of 1 inch flat iron, bolted on each side of the heavy fence filler and barbs. These gates are filled with all No. 9 galvanized farm fence with stays spaced 6 inches apart. Each line wire in the fence is stretched with a  $\frac{1}{4}$  inch eyebolt, which passes through the frame of the gate, with a nut on the outside, allowing for adjustments at any time. Corner clamps are made from heavy malleable iron. Latch end can be raised from 6 inches to 30 inches, hinge end about 8 inches (See lower illustration). This raising feature allows the gate to swing over snow drifts, also permits the smaller stock, such as hogs and sheep to pass in under at the same fencing against the larger stock. The gate is raised and lowered by  $\frac{5}{16}$ " steel rod. With these gates we furnish an automatic latch and one top chain, also  $\frac{5}{8}$ " steel eye bolt hinges made with 10" shank, threaded 4 inches on end with nut and washer. These gates are painted bright red, with a paint that is guaranteed as to quality. The top ball ornaments are finished in silver bronze.

	Standard height 54"	Weight	Price
10'	.....	100 lbs.	\$ 8.00
12'	.....	113 lbs.	9.00
14'	.....	126 lbs.	10.00
16'	.....	139 lbs.	11.00

Extra center brace 50c. net. Size given is opening between posts.

## KOKOMO FARM GATES



### Kokomo Farm Gate

To meet the demands for a low priced substantial farm gate, we offer you our Kokomo Farm Gate, as illustrated. Specifications as follows:

Frame.....1 3/8" steel tubing  
Center brace.....1 3/8" steel tubing  
Diagonal brace.....3/8" round iron.

Filler, No. 9 top and bottom wire,  
No. 11 line wire, No. 11 stay wire.  
Stays spaced 6" apart.

	Weight	Price
8'-----	65 lbs.	\$6.00
10'-----	72 lbs.	6.50
12'-----	79 lbs.	7.10
14'-----	86 lbs.	7.70
16'-----	93 lbs.	8.30

### Kokomo Double Strength Farm Gate

Our Kokomo Double Strength Farm Gate is exactly the same design as our Kokomo Farm Gate, but the frame and filler is much heavier. Specifications as follows:

Frame.....1 3/4" steel tubing  
Center brace.....1 3/4" steel tubing  
Diagonal brace.....3/8" round iron.

Filler, top wire No. 7, bottom wire No. 9, line wire No. 10, stay wire No. 11. Stays spaced 6" apart

	Weight	Price
8'-----	83 lbs.	\$7.00
10'-----	93 lbs.	7.60
12'-----	103 lbs.	8.40
14'-----	113 lbs.	9.20
16'-----	123 lbs.	10.00

Size given is opening between posts


Prices quoted above include automatic latch and 5/8" steel eyebolt hinges made with 10" shank threaded 4" on end, with nut and washer. Painted black or red; black unless otherwise specified. Standard height 54"

Either of the above gates can be filled with all No. 9 Square mesh fence, for 25 cents net extra.

Extra center brace 25 cents net.

## KOKOMO "WALK AND POULTRY GATES"

Walk Gate




PRICE WALK GATES

36"—42"—46" heights

3'-----	\$3.40
3 1/2'-----	3.70
4'-----	4.00
4 1/2'-----	4.30
5'-----	4.60

Less 20 cts. net if furnished with plain top.

No. 1 Poultry Gate




PRICE NO. 1, POULTRY GATES

39"—45"—51" heights

3'-----	\$2.50
3 1/2'-----	2.60
4'-----	2.70
4 1/2'-----	2.80
5'-----	2.90

For poultry gates higher than the above add 10c. net for each 6".

No. 2 Poultry Gate



PRICE NO. 2, POULTRY GATES


42"—48"—54" heights

3'-----	\$2.50
3 1/2'-----	2.60
4'-----	2.70
4 1/2'-----	2.80
5'-----	2.90

Our Walk and Poultry gates are made from steel tubing 1 1/8" in diameter. The Ornamental Walk Gates are filled with poultry proof lawn fence fabric Style C, made from two No. 13 galvanized wires twisted together for the pickets. The Poultry gates are filled with our regular square and diamond mesh poultry fence. Furnished complete with screw hinges and latch for wood posts. Painted black. Weight about 25 lbs.



### STYLE A FABRIC




#### SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.  
Cables—Two No. 12 Wires Twisted.  
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	2.	\$.22
30	5	2.02	.24
36	5	2.5	.26
40	5	2.7	.28

### STYLE B FABRIC




#### SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.  
Cables—Two No. 12 Wires Twisted.  
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.5	.18
30	5	1.7	.20
36	5	1.9	.22
40	5	2.04	.24

### STYLE C FABRIC




#### SPECIFICATIONS

Pickets—Two No. 13 Wires Twisted.  
Cables—Two No. 12½ Wires Twisted.  
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.2	.12
30	5	1.5	.14
36	5	1.62	.16
40	5	1.8	.18



## STYLE E FABRIC




### SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.  
Cables—Two No. 12 Wires Twisted.  
Standard Roll contains 300 feet, but can  
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
42	6	3.2	\$.30
48	6	3.5	.32

## STYLE F FABRIC




### SPECIFICATIONS

Pickets—Two No. 11 Wires Twisted.  
Cables—Two No. 12 Wires Twisted.  
Standard roll contains 300 feet but can  
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
42	6	2.3	\$.28
48	6	3.	.30

## STYLE G FABRIC




### SPECIFICATIONS

Pickets—One No. 9 Wire Single.  
Cables—Two No. 12½ Wires Twisted.  
Standard Roll contains 300 feet, but can  
furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	1.2	\$.10
30	4	1.5	.12
36	5	1.7	.14
42	5	2.	.16
48	6	2.08	.18



## STYLE H FABRIC



### SPECIFICATIONS

Pickets—Two No. 13 Wires Twisted.  
Cables—Two No. 12½ Wires Twisted.  
Standard roll contains 300 feet but can furnish any length desired.

Height in Inches	No. of Cable Wires	Weight Per Foot Pounds	Price Per Foot
24	4	.808	\$.10
30	5	1.	.12
36	5	1.2	.14
40	5	1.35	.16

## ARCHES

The posts in our arches are made from double strength steel tubing, 1¾" in diameter, but we can furnish same 2½" if desired. The posts are fitted with a special set base the same as shown on page 43. This base sets in the ground to sufficient depth so that the arches are very solid and perfect in alignment. We also furnish two iron braces which connect to the arch at the top and then to a plate buried in the ground back of the arch. The scroll work is of heavy wrought iron. The lettering is made from galvanized iron and silver bronzed. The arches stand 12 feet high in the clear (from the ground to the bottom of the inscription.)

### PRICES

#### Including Ornamental Gates and Inscription

#### KOKOMO ARCH


(Page 37)

4 Ft. Wide	.....	\$25.80
6 " "	.....	31.50
8 " "	.....	39.60
10 " "	.....	51.30
12 " "	.....	58.50
14 " "	.....	65.70
2½" Pipe for Posts extra	.....	5.00

#### STANDARD ARCH

(Page 36)


8 Ft. Wide	.....	\$80.50
10 " "	.....	84.00
12 " "	.....	88.20
14 " "	.....	93.80
2½" Pipe for Posts extra	.....	10.00
Extra for each 4 ft. side arch with gate	.....	19.50
2½" Pipe for Posts for each side arch, extra	.....	2.00



### OUR HITCHING POST

Our Hitching Post is made from steel tubing  $2\frac{1}{2}$  inches in diameter and is fitted with an anchor that is used in our extra heavy ornamental post. The top is a large handsome ball with an opening in the upper end through which a disappearing chain, same as shown in cut, is placed. This is the most convenient hitching rack yet devised. The chain is not broken or torn off as is usually the case, but is always at hand when wanted.


Price \$3.00




### OUR SPECIAL SET POST

Can be furnished with any of our fences when preferred. An additional charge of 40 cents for each post will be made.


NOTE—If wanted always specify special set post.








Illustrates our double crimped wire window screen, with round iron frame.




Illustrates our double crimped wire window screen, with channel iron frame.



A section showing the construction of our double crimped wire window screen, with channel iron frame.

Write us giving Dimensions of your windows or openings you wish to enclose and we will be glad to give you full information with lowest prices.



The above illustrates our double crimped wire partition or bank railing, and can be furnished mounted on round iron or channel iron frames. We are prepared to furnish a full line of this work. Send us specifications and we will cheerfully furnish prices and full information.



# PRICE LIST

(In Effect Feb. 15th, 1915)

## STANDARD FENCE COMPLETE

### SPECIFICATIONS

Corner Posts 1 $\frac{3}{4}$ " Steel Tubing  
End Posts 1 $\frac{3}{4}$ " " "  
Gate Posts 1 $\frac{3}{4}$ " " "  
Line Posts 1 $\frac{3}{4}$ " " "  
Line Railing 1 $\frac{3}{8}$ " " "

Height to Top of Braided Wire	Fitted with Fabric Style	Weight Per Foot Pounds	List Price Per Foot
31 $\frac{1}{2}$ -in.	A 24-in.	7.8	\$.58
37 $\frac{1}{2}$ -in.	A 30-in.	8.3	.62
43 $\frac{1}{2}$ -in.	A 36-in.	8.7	.66
47 $\frac{1}{2}$ -in.	A 40-in.	8.9	.70
31 $\frac{1}{2}$ -in.	B 24-in.	7.3	.54
37 $\frac{1}{2}$ -in.	B 30-in.	7.8	.58
43 $\frac{1}{2}$ -in.	B 36-in.	8.1	.62
47 $\frac{1}{2}$ -in.	B 40-in.	8.4	.66
31 $\frac{1}{2}$ -in.	C 24-in.	7.	.52
37 $\frac{1}{2}$ -in.	C 30-in.	7.5	.56
43 $\frac{1}{2}$ -in.	C 36-in.	7.9	.60
47 $\frac{1}{2}$ -in.	C 40-in.	8.2	.64
49 $\frac{1}{2}$ -in.	E 42-in.	9.7	.74
55 $\frac{1}{2}$ -in.	E 48-in.	10.1	.78
49 $\frac{1}{2}$ -in.	F 42-in.	8.8	.72
55 $\frac{1}{2}$ -in.	F 48-in.	9.7	.76
31 $\frac{1}{2}$ -in.	G 24-in.	7.1	.52
37 $\frac{1}{2}$ -in.	G 30-in.	7.5	.56
43 $\frac{1}{2}$ -in.	G 36-in.	8.	.60
49 $\frac{1}{2}$ -in.	G 42-in.	8.4	.64
55 $\frac{1}{2}$ -in.	G 48-in.	8.7	.68
31 $\frac{1}{2}$ -in.	H 24-in.	6.7	.48
37 $\frac{1}{2}$ -in.	H 30-in.	7.	.52
43 $\frac{1}{2}$ -in.	H 36-in.	7.5	.56
47 $\frac{1}{2}$ -in.	H 40-in.	7.8	.60

Add 10 c per ft. to any of the above prices for Malleable Cresting.

(Cancelling all previous lists.)

## JUNIOR FENCE COMPLETE

### SPECIFICATIONS

Corner Posts 1 $\frac{3}{4}$ " Steel Tubing  
End Posts 1 $\frac{3}{4}$ " " "  
Gate Posts 1 $\frac{3}{4}$ " " "  
Line Posts 1 $\frac{3}{4}$ " " "  
Line Railing 1 $\frac{1}{8}$ " " "

Height to Top of Braided Wire	Fitted with Fabric Style	Weight Per Foot Pounds	List Price Per Foot
31 $\frac{1}{2}$ -in.	A 24-in.	7.	\$.54
37 $\frac{1}{2}$ -in.	A 30-in.	7.4	.58
43 $\frac{1}{2}$ -in.	A 36-in.	7.8	.62
47 $\frac{1}{2}$ -in.	A 40-in.	8.2	.66
31 $\frac{1}{2}$ -in.	B 24-in.	6.5	.50
37 $\frac{1}{2}$ -in.	B 30-in.	6.9	.54
43 $\frac{1}{2}$ -in.	B 36-in.	7.3	.58
47 $\frac{1}{2}$ -in.	B 40-in.	7.5	.62
31 $\frac{1}{2}$ -in.	C 24-in.	6.3	.48
37 $\frac{1}{2}$ -in.	C 30-in.	6.7	.52
43 $\frac{1}{2}$ -in.	C 36-in.	7.	.56
47 $\frac{1}{2}$ -in.	C 40-in.	7.2	.60
49 $\frac{1}{2}$ -in.	E 42-in.	8.8	.70
55 $\frac{1}{2}$ -in.	E 48-in.	9.2	.74
49 $\frac{1}{2}$ -in.	F 42-in.	7.9	.68
55 $\frac{1}{2}$ -in.	F 48-in.	8.7	.72
31 $\frac{1}{2}$ -in.	G 24-in.	6.3	.48
37 $\frac{1}{2}$ -in.	G 30-in.	6.7	.52
43 $\frac{1}{2}$ -in.	G 36-in.	7.1	.56
49 $\frac{1}{2}$ -in.	G 42-in.	7.5	.60
55 $\frac{1}{2}$ -in.	G 48-in.	7.8	.64
31 $\frac{1}{2}$ -in.	H 24-in.	5.9	.44
37 $\frac{1}{2}$ -in.	H 30-in.	6.2	.48
43 $\frac{1}{2}$ -in.	H 36-in.	6.6	.52
47 $\frac{1}{2}$ -in.	H 40-in.	6.8	.56

Deduct 8 c per ft. from any of the above prices for fence to set on wall.

### Style D Tubular Fence

#### SPECIFICATIONS

Corner Posts	1 $\frac{3}{4}$ "	Steel Tubing	
End Posts	1 $\frac{3}{4}$ "	"	"
Gate Posts	1 $\frac{3}{4}$ "	"	"
Line Posts	1 $\frac{3}{4}$ "	"	"
Line Rails	1 $\frac{3}{8}$ "	"	"
Height in Inches	No. of Rails	Wgt. per Foot Lbs.	Price per Foot
30	1	5.8	\$.56
36	2	8.8	.66
48	3	10.3	.76

### Style J Cemetery and Lawn Fence

#### SPECIFICATIONS

Corner Posts	1 $\frac{3}{4}$ "	Steel Tubing	
End Posts	1 $\frac{3}{4}$ "	"	"
Gate Posts	1 $\frac{3}{4}$ "	"	"
Line Posts	1 $\frac{3}{4}$ "	"	"
Line Railing	1 $\frac{3}{8}$ "	"	"
Height to Top of Braided Wire	No. of Rails	Weight Per Foot Lbs.	Price per Foot
30"	1	7.	\$.72
36"	2	9.2	.82
48"	3	12.3	.90

### List Price of Fabrics

#### SPECIFICATIONS

##### Styles A, B, E and F

Pickets—2 No. 11 Wires twisted.  
Cables—2 No. 12 Wires twisted.

##### Styles C and H

Pickets—2 No. 13 Wires twisted.  
Cables—2 No. 12 $\frac{1}{2}$  Wires twisted.

##### Style G

Pickets—1 No. 9 Wire single.  
Cables—2 No. 12 Wires twisted.

### List Price of Fabrics—Continued

Style	Height in Inches	Wgt. per Ft. Lbs.	Price per Foot
Style A	24-in.	2.	\$.22
Style A	30-in.	2.02	.24
Style A	36-in.	2.5	.26
Style A	40-in.	2.7	.28
Style B	24-in.	1.5	.18
Style B	30-in.	1.7	.20
Style B	36-in.	1.9	.22
Style B	40-in.	2.04	.24
Style C	24-in.	1.2	.12
Style C	30-in.	1.5	.14
Style C	36-in.	1.62	.16
Style C	40-in.	1.8	.18
Style E	42-in.	3.2	.30
Style E	48-in.	3.5	.32
Style F	42-in.	2.3	.28
Style F	48-in.	3.	.30
Style G	24-in.	1.2	.10
Style G	30-in.	1.5	.12
Style G	36-in.	1.7	.14
Style G	42-in.	2.	.16
Style G	48-in.	2.08	.18
Style H	24-in.	.81	.10
Style H	30-in.	1.	.12
Style H	36-in.	1.2	.14
Style H	40-in.	1.35	.16

### Price List of Single Gates.

Width	Weight per Gate Lbs.	Price Plain Gates	Price Ornam'tl Gates
2 $\frac{1}{2}$ ft.	28.5	\$3.80	\$4.10
3 ft.	31.3	4.10	4.50
3 $\frac{1}{2}$ ft.	33.	4.20	4.60
4 ft.	35.8	4.70	5.00
4 $\frac{1}{2}$ ft.	38.5	4.90	5.30
5 ft.	41.3	5.20	5.70

### Price List of Single Gates—Continued.

5 $\frac{1}{2}$ ft.	43.8	\$5.60	\$6.10
6 ft.	46.5	5.80	6.40
6 $\frac{1}{2}$ ft.	48.8	6.30	6.80
8 ft.	56.5	6.80	7.60
10 ft.	67.	7.00	8.50
12 ft.	77.5	8.30	9.00

### Price List of Double Gates

Width	Weight per Gate Lbs.	Price Plain Gates	Price Ornam'tl Gates
8 ft.	77.	\$9.00	\$9.90
10 ft.	88.	9.90	10.80
12 ft.	98.	11.30	12.20
14 ft.	111.	12.20	13.10

### Posts and Other Supplies

1 $\frac{1}{2}$ " Posts.....	\$1.50
1 $\frac{3}{8}$ " Posts.....	1.30
2 $\frac{1}{2}$ " Posts.....	2.30
1 $\frac{1}{2}$ " Line Rail.....	.14
1 $\frac{3}{8}$ " Line Rail.....	.12
1 $\frac{1}{2}$ " Railing Sleeve.....	.30
1 $\frac{1}{2}$ " Railing Sleeve.....	.26
1 $\frac{1}{2}$ " Post Ornament.....	.50
1 $\frac{1}{2}$ " Post Ornament.....	.40
2 $\frac{1}{2}$ " Post Ornament.....	.60
1 $\frac{1}{2}$ " End Post Clamp.....	.20
1 $\frac{1}{2}$ " Corner Post Clamp.....	.30
2 $\frac{1}{2}$ " End Post Clamp.....	.24
2 $\frac{1}{2}$ " Corner Post Clamp.....	.34
1 $\frac{1}{2}$ " End Post Ratchet.....	.20
2 $\frac{1}{2}$ " End Post Ratchet.....	.24
1 $\frac{1}{2}$ " Corner Post Ratchet.....	.30
2 $\frac{1}{2}$ " Corner Post Ratchet.....	.34
1 $\frac{1}{2}$ " Male Hinge.....	.20
2 $\frac{1}{2}$ " Male Hinge.....	.30
1 $\frac{1}{2}$ " Gate Catch.....	.20
2 $\frac{1}{2}$ " Gate Catch.....	.30
Braided Wire—Per Foot.....	.03
Silver Bronze—Per Quart.....	2.00

All prices herein F. O. B., Kokomo, Ind.



## GENERAL INFORMATION

We extend a thirty day credit to responsible people.

Posts are spaced seven feet apart.

Read description of posts on page 5.

Fabric can only be made in heights shown on pages 40, 41 and 42.

Any of our fences can be made to be erected on brick, stone or cement wall. For fence to be erected in this manner, we leave off the iron base, and cut the steel tubing in the posts so they can be set in the wall ten inches, and then made secure by using cement or lead. We make a special deduction for this style of fence. See page 12.

We make our own special double galvanized wire, which is used in the manufacture of our fabrics, and we know it will give satisfaction.

Note size of posts and rails used in our Standard and Junior fences on page 3, and see full descriptions of our different styles of fabrics on pages 40, 41 and 42. Also description of ornaments and fittings on page 6.

All measurements given are outside diameter.

The complete fence, with braided wire, is  $7\frac{1}{2}$  inches higher than the fabric with which it is filled, and the complete fencing with malleable iron cresting is  $9\frac{1}{2}$  inches higher than the fabric with which it is filled.

The fabric and line rail will be cut to fit each section.

We send complete directions for erecting our fence.

When writing for prices, always send measurements, as requested on page 7.

If everything is not clear to you, do not hesitate to write us for we are glad to give any information desired.

